



PRODUCT-DETAILS

PACL34-S/BL/50M

SLIT PA6 LIGHT WEIGHT NC34 50MT BLK



General Information	
Extended Product Type	PACL34-S/BL/50M
Product ID	7TCA296000R1933
EAN	5020963019388
Catalog Description	SLIT PA6 LIGHT WEIGHT NC34 50MT BLK
Long Description	Lightweight Split Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.9mm, Static Bend Radius 60mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

Additional Information	
Application	Retrofit Over Pre-Routed Cables
Product Type	Lightweight Conduit with Coarse Pitch

Ordering	
EAN	5020963019388
UPC	786210241104

Dimensions

Product Net Depth / Length	50 m
----------------------------	------

Technical

Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	29.53 in 750 mm
Package Level 1 Width	29.53 in 750 mm

Certificates and Declarations

Data Sheet, Technical Information	PACL34-S/BL/50M
Instructions and Manuals	PACL34-S/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

