



PRODUCT-DETAILS

PACL54/GR/25M
PA6 LIGHT WEIGHT NC54 25MT GRY



General Information	
Extended Product Type	PACL54/GR/25M
Product ID	7TCA296000R1964
EAN	5020963002496
Catalog Description	PA6 LIGHT WEIGHT NC54 25MT GRY
Long Description	Lightweight Conduit, Nominal Conduit Size 54mm, NW Conduit Size 48, Coarse Conduit Pitch, Outside Diameter 54.5mm, Inside Diameter 46.9mm, Static Bend Radius 75mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Grey

Additional Information	
Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Product Type	Lightweight Conduit with Coarse Pitch

Ordering	
EAN	5020963002496
UPC	786210267463

Dimensions	
Product Net Depth / Length	25 m

Technical	
Number of Batteries	0
Color	Gray
Material	Polyamide/Nylon 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	9.06 in 230 mm
Package Level 1 Depth / Length	31.89 in 810 mm
Package Level 1 Width	31.89 in 810 mm

Certificates and Declarations	
Data Sheet, Technical Information	PACL54/GR/25M
Instructions and Manuals	PACL54/GR/25M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

