



PRODUCT-DETAILS

PACOF-12B.50  
CONDUIT DIV HL3 PA6 NW12 50M BLK



| General Information   |                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------|
| Extended Product Type | PACOF-12B.50                                                                                      |
| Product ID            | 7TAA292730R0002                                                                                   |
| EAN                   | 7630030270598                                                                                     |
| Catalog Description   | CONDUIT DIV HL3 PA6 NW12 50M BLK                                                                  |
| Long Description      | Divisible Flexible Black Conduit, (PACOF) Material - Polyamide 6, Conduit Size NW - 12, 50 Meters |

| Additional Information |                   |
|------------------------|-------------------|
| Application            | Machine           |
| Product Type           | Divisible Conduit |

| Ordering |               |
|----------|---------------|
| EAN      | 7630030270598 |
| UPC      | 786209997968  |

|                            |      |
|----------------------------|------|
| <b>Dimensions</b>          |      |
| Product Net Depth / Length | 50 m |

|                     |                   |
|---------------------|-------------------|
| <b>Technical</b>    |                   |
| Number of Batteries | 0                 |
| Color               | Black             |
| Material            | Polyamide/Nylon 6 |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |              |
|--------------------------------|--------------|
| <b>Container Information</b>   |              |
| Package Level 1 Units          | 50 m         |
| Package Level 1 Height         | 0 mm<br>0 in |
| Package Level 1 Depth / Length | 0 mm<br>0 in |
| Package Level 1 Width          | 0 mm<br>0 in |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | 9AKK107492A1773 |
| Instructions and Manuals             | PACOF-12B.50    |
| Declaration of Conformity - CE       | 9AKK107680A0674 |

|                        |                                    |
|------------------------|------------------------------------|
| <b>Classifications</b> |                                    |
| ETIM 8                 | EC001175 - Corrugated plastic hose |
| UNSPSC                 | 39131706                           |

|                   |  |
|-------------------|--|
| <b>Categories</b> |  |
|                   |  |

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

