



PRODUCT-DETAILS

PACS25/BL/50M
PA6 STAND.WEIGHT NC25 50MT BLK



General Information	
Extended Product Type	PACS25/BL/50M
Product ID	7TCA296000R1981
EAN	5020963011993
Catalog Description	PA6 STAND.WEIGHT NC25 50MT BLK
Long Description	Non-Metallic Standard Weight Flexible Conduit, Nominal Conduit Size 25, Static Bend Radius 50 Millimeters, Coarse Pitch, Low Fire Hazard, Length 50 Meters, Polyamide 6, Black

Additional Information	
Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Product Type	Standard Weight Conduit with Coarse Pitch

Ordering	
EAN	5020963011993
UPC	786210267548

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	8.27 in 210 mm
Package Level 1 Depth / Length	22.05 in 560 mm
Package Level 1 Width	22.05 in 560 mm

Certificates and Declarations	
Data Sheet, Technical Information	PACS25/BL/50M
Instructions and Manuals	PACS25/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

