



PRODUCT-DETAILS

PACS28/BL/25M
STD WGT CRSE BLK NYL COND NC28 25M



General Information	
Extended Product Type	PACS28/BL/25M
Product ID	7TCA296000R1988
EAN	5020963002502
Catalog Description	STD WGT CRSE BLK NYL COND NC28 25M
Long Description	Standard Weight Conduit, Nominal Conduit Size 28mm, NW Conduit Size 23, Coarse Conduit Pitch, Outside Diameter 28.5mm, Inside Diameter 21.7mm, Static Bend Radius 50mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Black

Additional Information	
Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Product Type	Standard Weight Conduit with Coarse Pitch

Ordering	
EAN	5020963002502
UPC	786210267579

Dimensions	
Product Net Depth / Length	25 m

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	17.72 in 450 mm
Package Level 1 Width	17.72 in 450 mm

Certificates and Declarations	
Data Sheet, Technical Information	PACS28/BL/25M
Instructions and Manuals	PACS28/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

