



PRODUCT-DETAILS

PACS34/BL/25M  
PA6 STAND.WEIGHT NC34 25MT BLK



| General Information   |                                                                                                                                                                                                                           |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | PACS34/BL/25M                                                                                                                                                                                                             |
| Product ID            | 7TCA296000R2000                                                                                                                                                                                                           |
| EAN                   | 5020963007910                                                                                                                                                                                                             |
| Catalog Description   | PA6 STAND.WEIGHT NC34 25MT BLK                                                                                                                                                                                            |
| Long Description      | Standard Weight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.7mm, Static Bend Radius 60mm, Reel Length 25 Meters, Polyamide (Nylon) 6, Black |

| Additional Information |                                                              |
|------------------------|--------------------------------------------------------------|
| Application            | Indoors / Outdoors - Light Industrial, Buildings & Machinery |
| Product Type           | Standard Weight Conduit with Coarse Pitch                    |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963007910 |
| UPC      | 786210267623  |

| Dimensions                 |      |
|----------------------------|------|
| Product Net Depth / Length | 25 m |

| Technical           |                   |
|---------------------|-------------------|
| Number of Batteries | 0                 |
| Color               | Black             |
| Material            | Polyamide/Nylon 6 |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                    |
|--------------------------------|--------------------|
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Height         | 7.87 in<br>200 mm  |
| Package Level 1 Depth / Length | 21.65 in<br>550 mm |
| Package Level 1 Width          | 21.65 in<br>550 mm |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | PACS34/BL/25M   |
| Instructions and Manuals          | PACS34/BL/25M   |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                    |
|-----------------|------------------------------------|
| ETIM 8          | EC001175 - Corrugated plastic hose |
| UNSPSC          | 39131706                           |

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

