



PRODUCT-DETAILS

PAFL13/BL/1000M
13MM LIGHTWEIGHT NYLON COND. 1000M



General Information	
Extended Product Type	PAFL13/BL/1000M
Product ID	7TCA296000R2089
EAN	5020963020315
Catalog Description	13MM LIGHTWEIGHT NYLON COND. 1000M
Long Description	Lightweight Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.0mm, Inside Diameter 10.0mm, Static Bend Radius 25mm, Reel Length 1,000 Meters, Polyamide (Nylon) 6, Black

Additional Information	
Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Product Type	Lightweight Conduit with Fine Pitch

Ordering	
EAN	5020963020315
UPC	786210268385

Dimensions	
Product Net Depth / Length	1,000 m

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	19.69 in 500 mm
Package Level 1 Depth / Length	29.53 in 750 mm
Package Level 1 Width	29.53 in 750 mm

Certificates and Declarations	
Data Sheet, Technical Information	PAFL13/BL/1000M
Instructions and Manuals	PAFL13/BL/1000M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

