



PRODUCT-DETAILS

PAFL16-S/BL/50M**LIGHTWEIGHT SLIT CONDUIT BLACK 50M****General Information**

Extended Product Type	PAFL16-S/BL/50M
Product ID	7TCA296000R2102
EAN	5020963027185
Catalog Description	LIGHTWEIGHT SLIT CONDUIT BLACK 50M
Long Description	Lightweight Split Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.9mm, Static Bend Radius 35mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Grey

Additional Information

Application	Retrofit Over Pre-Routed Cables
Product Type	Lightweight Conduit with Fine Pitch

Ordering

EAN	5020963027185
UPC	786210268491

Dimensions

Product Net Depth / Length	50 m
----------------------------	------

Technical

Number of Batteries	0
Color	Gray
Material	Polyamide/Nylon 6

Environmental

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

Container Information

Package Level 1 Units	1 piece
Package Level 1 Height	5.91 in 150 mm
Package Level 1 Depth / Length	16.54 in 420 mm
Package Level 1 Width	16.54 in 420 mm

Certificates and Declarations

Data Sheet, Technical Information	PAFL16-S/BL/50M
Instructions and Manuals	PAFL16-S/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications

ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

