



PRODUCT-DETAILS

**PAFS13/GR/50M**  
**PA6 STAND.WEIGHT NC13 50MT GRY**



| General Information   |                                                                                                                                                                                                                       |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | PAFS13/GR/50M                                                                                                                                                                                                         |
| Product ID            | 7TCA296000R2162                                                                                                                                                                                                       |
| EAN                   | 5020963003745                                                                                                                                                                                                         |
| Catalog Description   | PA6 STAND.WEIGHT NC13 50MT GRY                                                                                                                                                                                        |
| Long Description      | Standard Weight Conduit, Nominal Conduit Size 13mm, NW Conduit Size 10, Fine Conduit Pitch, Outside Diameter 13.0mm, Inside Diameter 9.6mm, Static Bend Radius 25mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Grey |

| Additional Information |                                                              |
|------------------------|--------------------------------------------------------------|
| Application            | Indoors / Outdoors - Light Industrial, Buildings & Machinery |
| Product Type           | Standard Weight Conduit with Fine Pitch                      |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963003745 |
| UPC      | 786210268682  |

| Dimensions                 |      |
|----------------------------|------|
| Product Net Depth / Length | 50 m |

| Technical           |                   |
|---------------------|-------------------|
| Number of Batteries | 0                 |
| Color               | Gray              |
| Material            | Polyamide/Nylon 6 |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                    |
|--------------------------------|--------------------|
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Height         | 5.51 in<br>140 mm  |
| Package Level 1 Depth / Length | 16.93 in<br>430 mm |
| Package Level 1 Width          | 15.75 in<br>400 mm |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | PAFS13/GR/50M   |
| Instructions and Manuals          | PAFS13/GR/50M   |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                    |
|-----------------|------------------------------------|
| ETIM 8          | EC001175 - Corrugated plastic hose |
| UNSPSC          | 39131706                           |

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

