



PRODUCT-DETAILS

PAFS16/BL/50M

PA6 STAND.WEIGHT NC16 50MT BLK



| General Information   |                                                                                                                                                                                                                         |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | PAFS16/BL/50M                                                                                                                                                                                                           |
| Product ID            | 7TCA296000R2176                                                                                                                                                                                                         |
| EAN                   | 5020963000317                                                                                                                                                                                                           |
| Catalog Description   | PA6 STAND.WEIGHT NC16 50MT BLK                                                                                                                                                                                          |
| Long Description      | Standard Weight Conduit, Nominal Conduit Size 16mm, NW Conduit Size 13, Fine Conduit Pitch, Outside Diameter 15.8mm, Inside Diameter 11.8mm, Static Bend Radius 35mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black |

| Additional Information |                                                              |
|------------------------|--------------------------------------------------------------|
| Application            | Indoors / Outdoors - Light Industrial, Buildings & Machinery |
| Product Type           | Standard Weight Conduit with Fine Pitch                      |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963000317 |
| UPC      | 786210258607  |

| Dimensions                 |      |
|----------------------------|------|
| Product Net Depth / Length | 50 m |

| Technical           |                   |
|---------------------|-------------------|
| Number of Batteries | 0                 |
| Color               | Black             |
| Material            | Polyamide/Nylon 6 |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                    |
|--------------------------------|--------------------|
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Height         | 5.91 in<br>150 mm  |
| Package Level 1 Depth / Length | 16.54 in<br>420 mm |
| Package Level 1 Width          | 16.54 in<br>420 mm |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | PAFS16/BL/50M   |
| Instructions and Manuals          | PAFS16/BL/50M   |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                    |
|-----------------|------------------------------------|
| ETIM 8          | EC001175 - Corrugated plastic hose |
| UNSPSC          | 39131706                           |

---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

