



PRODUCT-DETAILS

PAFS18/BL/50M
STD WGT BLK NYL COND NC18 50M



General Information	
Extended Product Type	PAFS18/BL/50M
Product ID	7TCA296000R2194
EAN	5020963001017
Catalog Description	STD WGT BLK NYL COND NC18 50M
Long Description	Standard Weight Conduit, Nominal Conduit Size 18mm, Fine Conduit Pitch, Outside Diameter 18.5mm, Inside Diameter 14.2mm, Static Bend Radius 40mm, Reel Length 50 Meters, Polyamide (Nylon) 6, Black

Additional Information	
Application	Indoors / Outdoors - Light Industrial, Buildings & Machinery
Product Type	Standard Weight Conduit with Fine Pitch

Ordering	
EAN	5020963001017
UPC	786210242026

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide/Nylon 6

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	19.69 in 500 mm
Package Level 1 Width	15.75 in 400 mm

Certificates and Declarations	
Data Sheet, Technical Information	PAFS18/BL/50M
Instructions and Manuals	PAFS18/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

