




PRODUCT-DETAILS

PBC34/M32/A

NPB M32 IP66.67/ NC34 BRDD NON-MET



| General Information   |                                    |
|-----------------------|------------------------------------|
| Extended Product Type | PBC34/M32/A                        |
| Product ID            | 7TCA296100R0030                    |
| EAN                   | 5020963031489                      |
| Catalog Description   | NPB M32 IP66.67/ NC34 BRDD NON-MET |
| Long Description      | NPB M32 IP66.67/ NC34 BRDD NON-MET |

| Additional Information |                                                                    |
|------------------------|--------------------------------------------------------------------|
| Application            | For Insertion into Threaded Entries or Knockout to Connect Conduit |
| Product Type           | Conduit Fitting with Metric Threads                                |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963031489 |
| UPC      | 786210269603  |

| Technical           |          |
|---------------------|----------|
| Number of Batteries | 0        |
| Color               | Metallic |
| Material            | Brass    |
| Size                | 1 Inch   |

| Environmental |                           |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |

| Container Information          |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 2 piece           |
| Package Level 1 Height         | 7.87 in<br>200 mm |
| Package Level 1 Depth / Length | 1 in<br>25 mm     |
| Package Level 1 Width          | 5.9 in<br>150 mm  |

| Certificates and Declarations     |                 |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | PBC34/M32/A     |
| Instructions and Manuals          | PBC34/M32/A     |
| Declaration of Conformity - CE    | 9AKK107492A9618 |
| RoHS Information                  | 9AKK107992A8994 |
| RoHS Date                         | 9AKK107992A8994 |
| REACH Declaration                 | 9AKK107992A8994 |

| Classifications |                                                         |
|-----------------|---------------------------------------------------------|
| ETIM 8          | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC          | 39121311                                                |

| Categories                                                                                                                                    |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

