




PRODUCT-DETAILS

PBC54/M50/B
SWIV.M50 IP66.67/ NC54 BRDD N-MET



General Information	
Extended Product Type	PBC54/M50/B
Product ID	7TCA296100R0040
EAN	5020963051937
Catalog Description	SWIV.M50 IP66.67/ NC54 BRDD N-MET
Long Description	SWIV.M50 IP66.67/ NC54 BRDD N-MET

Additional Information	
Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

Ordering	
EAN	5020963051937
UPC	786210242095

Technical	
Number of Batteries	0
Color	Metallic
Material	Brass
Size	1-1/2 Inch

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	2 piece
Package Level 1 Height	11.81 in 300 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

Certificates and Declarations	
Data Sheet, Technical Information	PBC54/M50/B
Instructions and Manuals	PBC54/M50/B
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121311

Categories	
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems	

