



PRODUCT-DETAILS

# PFCS34/BL/25M

## 34MM OD NYLON 12 COND BLK 25M



Product image not available

General Information	
Extended Product Type	PFCS34/BL/25M
Product ID	7TCA296000R2276
EAN	5020963054518
Catalog Description	34MM OD NYLON 12 COND BLK 25M
Long Description	Standard Weight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.7mm, Static Bend Radius 60mm, Reel Length 25 Meters, Modified Polyamide 12, Black

Additional Information	
Application	Rail Exterior
Product Type	Standard Weight Conduit with Coarse Pitch

Ordering	
EAN	5020963054518
UPC	786210269764

---

## Dimensions

---

Product Net Depth / Length	25 m
----------------------------	------

---



---

## Technical

---

Number of Batteries	0
Color	Black
Material	Polyamide 12

---



---

## Environmental

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

## Container Information

---

Package Level 1 Units	1 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	21.65 in 550 mm
Package Level 1 Width	21.65 in 550 mm

---



---

## Certificates and Declarations

---

Data Sheet, Technical Information	PFCS34/BL/25M
Instructions and Manuals	PFCS34/BL/25M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

## Classifications

---

ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image  
not available