



PRODUCT-DETAILS

PFFS10/BL/50M

10M OD NYLON 12 COND 50M BLK



General Information	
Extended Product Type	PFFS10/BL/50M
Product ID	7TCA296000R2284
EAN	5020963054150
Catalog Description	10M OD NYLON 12 COND 50M BLK
Long Description	Standard Weight Conduit, Nominal Conduit Size 10mm, NW Conduit Size 8.5, Fine Conduit Pitch, Outside Diameter 10.0mm, Inside Diameter 6.2mm, Static Bend Radius 20mm, Reel Length 50 Meters, Modified Polyamide 12, Black

Additional Information	
Application	Rail Exterior
Product Type	Standard Weight Conduit with Fine Pitch

Ordering	
EAN	5020963054150
UPC	786210269818

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 12

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	3.54 in 90 mm
Package Level 1 Depth / Length	16.93 in 430 mm
Package Level 1 Width	16.93 in 430 mm

Certificates and Declarations	
Data Sheet, Technical Information	PFFS10/BL/50M
Instructions and Manuals	PFFS10/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

