



PRODUCT-DETAILS

PFFSSS21/BL/50M

STANL.STEEL BRDD.PA12 NC21 50MT BLK



Product image
not available

General Information	
Extended Product Type	PFFSSS21/BL/50M
Product ID	7TCA296100R0066
EAN	5020963051999
Catalog Description	STANL.STEEL BRDD.PA12 NC21 50MT BLK
Long Description	Standard Weight Conduit with Stainless Steel Braid, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 15.3mm, Static Bend Radius 40mm, Reel Length 50 Meters, Modified Polyamide 12, Black

Additional Information	
Application	Rail Exterior
Product Type	Standard Weight Conduit with Fine Pitch and Stainless Steel Overbraid

Ordering	
EAN	5020963051999
UPC	786210300702

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Black
Material	Polyamide 12

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	9.37 in 238 mm
Package Level 1 Depth / Length	19.25 in 489 mm
Package Level 1 Width	19.25 in 489 mm

Certificates and Declarations	
Data Sheet, Technical Information	PFFSSS21/BL/50M
Instructions and Manuals	PFFSSS21/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems



Product image
not available