



PRODUCT-DETAILS

PIG0451-0-B
SHRINK-KON 300M BLACK



General Information	
Extended Product Type	PIG0451-0-B
Product ID	7TCA017200R0015
EAN	5414363127475
Catalog Description	SHRINK-KON 300M BLACK
Long Description	Heat Shrink Tubing, Black, 300M Reel, Shrink Ratio 3:1, Expanded Diameter 4.8mm, Thin Walled, CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free

Ordering	
EAN	5414363127475
UPC	786210902746
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

Dimensions	
Product Net Depth / Length	984.2 ft 300 m

Container Information	
Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	6.3 in 160 mm
Package Level 1 Depth / Length	15.4 in 391 mm

Additional Information	
Brand / Label	Shrink-Kon
Color	Black
Effective Date	20030407
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK107992A8967
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C
Thickness	Thin

Certificates and Declarations	
Data Sheet, Technical Information	PIG0451-0-B

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories	
Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink	

