



PRODUCT-DETAILS

PIG2408-C-D
SHRINK-KON BOX 3,3M TRANSP.



General Information	
Extended Product Type	PIG2408-C-D
Product ID	7TCA017200R0081
EAN	5414363106647
Catalog Description	SHRINK-KON BOX 3,3M TRANSP.
Long Description	Heat Shrink Tubing, Transparent, 3.3M Box, Shrink Ratio 3:1, Expanded Diameter 25.4mm

Ordering	
EAN	5414363106647
UPC	786210553368
Country of Origin	Germany (DE)
Selling Unit of Measure	each

Dimensions	
Product Net Depth / Length	10.8 ft 3.3 m

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	2.4 in 61 mm
Package Level 1 Height	6.7 in 170 mm
Package Level 1 Depth / Length	6.7 in 170 mm
Package Level 2 Units	60 piece
Package Level 2 Width	15.8 in 401 mm
Package Level 2 Height	22.5 in 572 mm
Package Level 2 Depth / Length	20.9 in 531 mm

Additional Information	
Brand / Label	Shrink-Kon
Color	Transparent
Effective Date	19980621
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	Plastic conduit
Product Type	Heat Shrinkable Tubing
RoHS Date	9AKK107992A8967
Shrink Ratio	3:1
Shrink Temperature	194 °F 90 °C

Certificates and Declarations	
Data Sheet, Technical Information	PIG2408-C-D

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

