PIG4013-0-B 1/3



PRODUCT-DETAILS

PIG4013-0-B SHRINK-KON 50M BLACK



General Information	
Extended Product Type	PIG4013-0-B
Product ID	7TCA017200R0084
EAN	5414363106678
Catalog Description	SHRINK-KON 50M BLACK
Long Description	Heat Shrink Tubing, Black, 50M Reel, Shrink Ratio 3:1, Expanded Diameter 39.0mm, Thin Walled, CrossLinked Polyolefin, Item is Silicone, Cadmium and Lead Free
Ordering	
Ordering	5144004000
EAN	5414363106678
UPC	786210517087
Country of Origin Selling Unit of Measure	Germany (DE) roll
Dimensions	
Product Net Depth / Length	164 ft 50 m

PIG4013-0-B 2/3

Container Information	
Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	3.8 in 97 mm
Package Level 1 Depth / Length	15.4 in <u>391 mm</u>

Additional Information	
Brand / Label	Shrink-Kon
Color	Black
Effective Date	19980621
Process Temperature Rating	-67 to +275 °F -55 to +135 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK107992A8967
Shrink Ratio	3:1
Shrink Temperature	194 °F
	90 °C
Thickness	<u>Thin</u>

PIG4013-0-B

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Installation\ Products\ \rightarrow\ Wire\ Management\ and\ Connectivity\ \rightarrow\ Identification\ \&\ Heat\ Shrink$

PIG4013-0-B 3/3

