



PRODUCT-DETAILS

PKG0301-0-B
SHRINK-KON 300M BLACK



General Information	
Extended Product Type	PKG0301-0-B
Product ID	7TCA017300R0503
EAN	5414363106722
Catalog Description	SHRINK-KON 300M BLACK
Long Description	Flexible for Moist Environments, Heat Shrink Tubing, 3.0mm Expanded Diameter, Black, Shrink Ratio 3:1, 300M, Thin Walled, Material - Crosslinked Polyolefin with Adhesive Lining, Item is Silicone, Cadmium and Lead Free

Ordering	
EAN	5414363106722
UPC	786210595504
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

Dimensions	
Product Net Depth /	984.2 ft

Length	300 m
--------	-------

Container Information

Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	2.6 in 66 mm
Package Level 1 Depth / Length	15.4 in 391 mm

Additional Information

Brand / Label	Shrink-Kon
Color	Black
Effective Date	19980922
Process Temperature	-67 to +230 °F
Rating	-55 to +110 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK108466A3884
Shrink Ratio	3:1
Shrink Temperature	203 °F 95 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical Information	PKG0301-0-B
-----------------------------------	-------------

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

