



PRODUCT-DETAILS

PKG0401-0-B  
SHRINK-KON 300 M BLACK



| General Information   |                                                                                           |
|-----------------------|-------------------------------------------------------------------------------------------|
| Extended Product Type | PKG0401-0-B                                                                               |
| Product ID            | 7TCA017300R0506                                                                           |
| EAN                   | 5414363919537                                                                             |
| Catalog Description   | SHRINK-KON 300 M BLACK                                                                    |
| Long Description      | Flexible for Moist Environments, Heat Shrink Tubing, 4.0mm Expanded Diameter, Black, 300M |

| Ordering                |               |
|-------------------------|---------------|
| EAN                     | 5414363919537 |
| UPC                     | 786209939654  |
| Country of Origin       | Germany (DE)  |
| Selling Unit of Measure | each          |

| Dimensions                 |                   |
|----------------------------|-------------------|
| Product Net Depth / Length | 984.2 ft<br>300 m |

| Container Information          |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 1 piece           |
| Package Level 1 Width          | 15.4 in<br>391 mm |
| Package Level 1 Height         | 6.3 in<br>160 mm  |
| Package Level 1 Depth / Length | 15.4 in<br>391 mm |

| Additional Information |                                 |
|------------------------|---------------------------------|
| Brand / Label          | Shrink-Kon                      |
| Color                  | Black                           |
| Effective Date         | 20100422                        |
| Process Temperature    | -67 to +230 °F                  |
| Rating                 | -55 to +110 °C                  |
| Product Name           | Plastic conduit                 |
| Product Type           | Flexible Heat Shrinkable Tubing |
| RoHS Date              | 9AKK108466A3884                 |
| Shrink Ratio           | 4:1                             |
| Shrink Temperature     | 203 °F<br>95 °C                 |

| Certificates and Declarations     |             |
|-----------------------------------|-------------|
| Data Sheet, Technical Information | PKG0401-0-B |

| Classifications                    |                              |
|------------------------------------|------------------------------|
| ETIM 6                             | EC000217 - Shrink tubing     |
| ETIM 7                             | EC000217 - Shrink tubing     |
| ETIM 8                             | EC000217 - Shrink tubing     |
| UNSPSC                             | 39121723                     |
| WEEE Category                      | Product Not in WEEE Scope    |
| IDEA Granular Category Code (IGCC) | 5073 >> Heat shrinkable tube |

| Categories |
|------------|
|------------|

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

