



PRODUCT-DETAILS

PKG1806-0-B
SHRINK-KON 50M BLACK



General Information	
Extended Product Type	PKG1806-0-B
Product ID	7TCA017300R0523
EAN	5414363106890
Catalog Description	SHRINK-KON 50M BLACK
Long Description	Flexible for Moist Environments, Heat Shrink Tubing, 19.0mm Expanded Diameter, Black, 50M, Thin Walled, Material - Crosslinked Polyolefin with Adhesive Lining, Item is Silicone, Cadmium and Lead Free
Ordering	
EAN	5414363106890
UPC	786210544274
Country of Origin	Germany (DE)
Selling Unit of Measure	roll
Dimensions	
Product Net Depth / Length	164 ft 50 m

Container Information	
Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	1.8 in 46 mm
Package Level 1 Depth / Length	15.4 in 391 mm

Additional Information	
Brand / Label	Shrink-Kon
Color	Black
Effective Date	19980621
Process Temperature Rating	-67 to +230 °F -55 to +110 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK108466A3884
Shrink Ratio	3:1
Shrink Temperature	203 °F 95 °C
Thickness	Thin

Certificates and Declarations	
Data Sheet, Technical Information	PKG1806-0-B

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories	
-------------------	--

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

