



PRODUCT-DETAILS

PKG4013-0-C

SHRINK-KON BOX 4X0,6M BLACK



General Information

Extended Product Type	PKG4013-0-C
Product ID	7TCA017300R0535
EAN	5414363106982
Catalog Description	SHRINK-KON BOX 4X0,6M BLACK
Long Description	Flexible for Moist Environments, Heat Shrink Tubing, 40.0mm Expanded Diameter, Black, 0.6M x 4 Lengths, Thin Walled, Material - Crosslinked Polyolefin with Adhesive Lining, Item is Silicone, Cadmium and Lead Free

Ordering

E-Number (Finland)	5240607
EAN	5414363106982
UPC	786210496924
Country of Origin	Germany (DE)
Selling Unit of Measure	each

Dimensions

Product Net Depth / Length	1.97 ft 0.6 m
----------------------------	------------------

Container Information

Package Level 1 Units	4 piece
Package Level 1 Width	2 in 51 mm
Package Level 1 Height	4 in 102 mm
Package Level 1 Depth / Length	27.6 in 701 mm
Package Level 2 Units	120 piece

Additional Information

Brand / Label	Shrink-Kon
Color	Black
Effective Date	19980621
Process Temperature Rating	-67 to +230 °F -55 to +110 °C
Product Name	PLASTIC CONDUIT
Product Type	Thin-Wall Heat Shrinkable Tubing
RoHS Date	9AKK108466A3884
Shrink Ratio	3:1
Shrink Temperature	203 °F 95 °C
Thickness	Thin

Certificates and Declarations

Data Sheet, Technical Information	PKG4013-0-C
-----------------------------------	-------------

Classifications

ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

