



PRODUCT-DETAILS

PLG125-6-A  
SHRINK-KON BOX 25X1,22M BLUE



| General Information   |                                                                               |
|-----------------------|-------------------------------------------------------------------------------|
| Extended Product Type | PLG125-6-A                                                                    |
| Product ID            | 7TCA017300R0573                                                               |
| EAN                   | 5414363107378                                                                 |
| Catalog Description   | SHRINK-KON BOX 25X1,22M BLUE                                                  |
| Long Description      | Flexible Heat Shrink Tubing, 3.2mm Expanded Diameter, Blue, 1.22M Length X 25 |

| Ordering                |               |
|-------------------------|---------------|
| EAN                     | 5414363107378 |
| UPC                     | 786210897875  |
| Country of Origin       | Germany (DE)  |
| Selling Unit of Measure | each          |

| Dimensions                 |                |
|----------------------------|----------------|
| Product Net Depth / Length | 4 ft<br>1.22 m |

| Container Information          |                    |
|--------------------------------|--------------------|
| Package Level 1 Units          | 25 piece           |
| Package Level 1 Width          | 4.1 in<br>104 mm   |
| Package Level 1 Height         | 4.2 in<br>107 mm   |
| Package Level 1 Depth / Length | 49.3 in<br>1252 mm |

| Additional Information     |                                  |
|----------------------------|----------------------------------|
| Brand / Label              | Shrink-Kon                       |
| Color                      | Blue                             |
| Effective Date             | 20030310                         |
| Process Temperature Rating | -67 to +212 °F<br>-55 to +100 °C |
| Product Name               | Plastic conduit                  |
| Product Type               | Flexible Heat Shrinkable Tubing  |
| RoHS Date                  | 9AKK107991A8073                  |
| Shrink Ratio               | 2:1                              |
| Shrink Temperature         | 230 °F<br>110 °C                 |

| Certificates and Declarations     |            |
|-----------------------------------|------------|
| Data Sheet, Technical Information | PLG125-6-A |

| Classifications                    |                              |
|------------------------------------|------------------------------|
| ETIM 6                             | EC000217 - Shrink tubing     |
| ETIM 7                             | EC000217 - Shrink tubing     |
| ETIM 8                             | EC000217 - Shrink tubing     |
| UNSPSC                             | 39121723                     |
| WEEE Category                      | Product Not in WEEE Scope    |
| IDEA Granular Category Code (IGCC) | 5073 >> Heat shrinkable tube |

| Categories |
|------------|
|------------|

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

