



PRODUCT-DETAILS

PLG1250-C-E
SHRINK-KON 30M TRANSPARENT



General Information	
Extended Product Type	PLG1250-C-E
Product ID	7TCA017300R0590
EAN	5414363127703
Catalog Description	SHRINK-KON 30M TRANSPARENT
Long Description	Flexible Heat Shrink Tubing, 31.75mm Expanded Diameter, Transparent, 30M

Ordering	
EAN	5414363127703
UPC	786210792880
Country of Origin	Germany (DE)
Selling Unit of Measure	roll

Dimensions	
Product Net Depth / Length	98.4 ft 30 m

Container Information	
Package Level 1 Units	1 reel
Package Level 1 Width	15.4 in 391 mm
Package Level 1 Height	3.8 in 97 mm
Package Level 1 Depth / Length	15.4 in 391 mm

Additional Information	
Brand / Label	Shrink-Kon
Color	Transparent
Effective Date	20011205
Process Temperature Rating	-67 to +212 °F -55 to +100 °C
Product Name	Plastic conduit
Product Type	Flexible Heat Shrinkable Tubing
RoHS Date	9AKK107991A8073
Shrink Ratio	2:1
Shrink Temperature	230 °F 110 °C

Certificates and Declarations	
Data Sheet, Technical Information	PLG1250-C-E

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories	
Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink	

