



PRODUCT-DETAILS

PLG2000-2-A  
SHRINK-KON BOX 5X1,22M RED



| General Information   |                                                                       |
|-----------------------|-----------------------------------------------------------------------|
| Extended Product Type | PLG2000-2-A                                                           |
| Product ID            | 7TCA017300R0637                                                       |
| EAN                   | 5414363107880                                                         |
| Catalog Description   | SHRINK-KON BOX 5X1,22M RED                                            |
| Long Description      | Flexible Heat Shrink Tubing, 50.8mm Expanded Diameter, Red, 1.22M X 5 |

| Ordering                |               |
|-------------------------|---------------|
| EAN                     | 5414363107880 |
| UPC                     | 786210484341  |
| Country of Origin       | Germany (DE)  |
| Selling Unit of Measure | each          |

| Dimensions          |        |
|---------------------|--------|
| Product Net Depth / | 4 ft   |
| Length              | 1.22 m |

|                                |                    |
|--------------------------------|--------------------|
| <b>Container Information</b>   |                    |
| Package Level 1 Units          | 5 piece            |
| Package Level 1 Width          | 4.1 in<br>104 mm   |
| Package Level 1 Height         | 4.2 in<br>107 mm   |
| Package Level 1 Depth / Length | 49.3 in<br>1252 mm |
| Package Level 2 Units          | 50 piece           |

|                               |                                  |
|-------------------------------|----------------------------------|
| <b>Additional Information</b> |                                  |
| Brand / Label                 | Shrink-Kon                       |
| Color                         | Red                              |
| Effective Date                | 19980817                         |
| Process Temperature Rating    | -67 to +212 °F<br>-55 to +100 °C |
| Product Name                  | Plastic conduit                  |
| Product Type                  | Flexible Heat Shrinkable Tubing  |
| RoHS Date                     | 9AKK107991A8073                  |
| Shrink Ratio                  | 2:1                              |
| Shrink Temperature            | 230 °F<br>110 °C                 |

|                                      |             |
|--------------------------------------|-------------|
| <b>Certificates and Declarations</b> |             |
| Data Sheet, Technical Information    | PLG2000-2-A |

|                                    |                              |
|------------------------------------|------------------------------|
| <b>Classifications</b>             |                              |
| ETIM 6                             | EC000217 - Shrink tubing     |
| ETIM 7                             | EC000217 - Shrink tubing     |
| ETIM 8                             | EC000217 - Shrink tubing     |
| UNSPSC                             | 39121723                     |
| WEEE Category                      | Product Not in WEEE Scope    |
| IDEA Granular Category Code (IGCC) | 5073 >> Heat shrinkable tube |

|                                                                                                                            |  |
|----------------------------------------------------------------------------------------------------------------------------|--|
| <b>Categories</b>                                                                                                          |  |
| Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink |  |

