



PRODUCT-DETAILS

PLG3000-C-E
SHRINK-KON TRANSP 15M



General Information	
Extended Product Type	PLG3000-C-E
Product ID	7TCA017300R0691
EAN	5414363483922
Catalog Description	SHRINK-KON TRANSP 15M
Long Description	Flexible Heat Shrink Tubing, 76.2mm Expanded Diameter, Transparent, 15M

Ordering	
EAN	5414363483922
UPC	786209923257
Country of Origin	Germany (DE)
Selling Unit of Measure	each

Dimensions	
Product Net Depth / Length	49.2 ft 15 m

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	15.35 in 390 mm
Package Level 1 Height	6.3 in 160 mm
Package Level 1 Depth / Length	15.35 in 390 mm
Package Level 2 Units	2 piece
Package Level 2 Width	15.45 in 392 mm
Package Level 2 Height	6.4 in 163 mm
Package Level 2 Depth / Length	15.45 in 392 mm

Additional Information	
Brand / Label	Shrink-Kon
Color	Transparent
Effective Date	20090114
Process Temperature Rating	-67 to +212 °F -55 to +100 °C
Product Name	Plastic conduit
Product Type	Flexible Heat Shrinkable Tubing
RoHS Date	9AKK107991A8073
Shrink Ratio	2:1
Shrink Temperature	230 °F 110 °C

Certificates and Declarations	
Data Sheet, Technical Information	PLG3000-C-E

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

