



PRODUCT-DETAILS

PLG4000-C-E
SHRINK-KON TRANSP 20M



General Information	
Extended Product Type	PLG4000-C-E
Product ID	7TCA017300R0726
EAN	5414363483465
Catalog Description	SHRINK-KON TRANSP 20M
Long Description	Flexible Heat Shrink Tubing, 101.6mm Expanded Diameter, Transparent, 20M

Ordering	
EAN	5414363483465
UPC	786209922939
Country of Origin	Germany (DE)
Selling Unit of Measure	each

Dimensions	
Product Net Depth / Length	65.6 ft 20 m

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Width	15.35 in 390 mm
Package Level 1 Height	8.27 in 210 mm
Package Level 1 Depth / Length	15.35 in 390 mm
Package Level 2 Units	1 piece
Package Level 2 Width	15.4 in 391 mm
Package Level 2 Height	8.3 in 211 mm
Package Level 2 Depth / Length	15.4 in 391 mm

Additional Information	
Brand / Label	Shrink-Kon
Color	Transparent
Effective Date	20090109
Process Temperature Rating	-67 to +212 °F -55 to +100 °C
Product Name	Plastic conduit
Product Type	Flexible Heat Shrinkable Tubing
RoHS Date	9AKK107991A8073
Shrink Ratio	2:1
Shrink Temperature	230 °F 110 °C

Certificates and Declarations	
Data Sheet, Technical Information	PLG4000-C-E

Classifications	
ETIM 6	EC000217 - Shrink tubing
ETIM 7	EC000217 - Shrink tubing
ETIM 8	EC000217 - Shrink tubing
UNSPSC	39121723
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5073 >> Heat shrinkable tube

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

