



PRODUCT-DETAILS

PLG46-6-E  
SHRINK-KON 150M BLUE



| General Information   |                                                                  |
|-----------------------|------------------------------------------------------------------|
| Extended Product Type | PLG46-6-E                                                        |
| Product ID            | 7TCA017300R0734                                                  |
| EAN                   | 5414363108603                                                    |
| Catalog Description   | SHRINK-KON 150M BLUE                                             |
| Long Description      | Flexible Heat Shrink Tubing, 1.2mm Expanded Diameter, Blue, 150M |

| Ordering                |               |
|-------------------------|---------------|
| EAN                     | 5414363108603 |
| UPC                     | 786210792538  |
| Country of Origin       | Germany (DE)  |
| Selling Unit of Measure | roll          |

| Dimensions          |          |
|---------------------|----------|
| Product Net Depth / | 492.1 ft |
| Length              | 150 m    |

| Container Information          |                   |
|--------------------------------|-------------------|
| Package Level 1 Units          | 1 reel            |
| Package Level 1 Width          | 15.4 in<br>391 mm |
| Package Level 1 Height         | 1.8 in<br>46 mm   |
| Package Level 1 Depth / Length | 15.4 in<br>391 mm |

| Additional Information     |                                  |
|----------------------------|----------------------------------|
| Brand / Label              | Shrink-Kon                       |
| Color                      | Blue                             |
| Effective Date             | 20011205                         |
| Process Temperature Rating | -67 to +212 °F<br>-55 to +100 °C |
| Product Name               | Plastic conduit                  |
| Product Type               | Flexible Heat Shrinkable Tubing  |
| RoHS Date                  | 9AKK107991A8073                  |
| Shrink Ratio               | 2:1                              |
| Shrink Temperature         | 230 °F<br>110 °C                 |

| Certificates and Declarations     |           |
|-----------------------------------|-----------|
| Data Sheet, Technical Information | PLG46-6-E |

| Classifications                    |                              |
|------------------------------------|------------------------------|
| ETIM 6                             | EC000217 - Shrink tubing     |
| ETIM 7                             | EC000217 - Shrink tubing     |
| ETIM 8                             | EC000217 - Shrink tubing     |
| UNSPSC                             | 39121723                     |
| WEEE Category                      | Product Not in WEEE Scope    |
| IDEA Granular Category Code (IGCC) | 5073 >> Heat shrinkable tube |

| Categories |  |
|------------|--|
|------------|--|

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Identification & Heat Shrink

