



PRODUCT-DETAILS

PLRG-48S.30  
CONDUIT PA6 NW48 GRY 30M



| General Information   |                                                                                                     |
|-----------------------|-----------------------------------------------------------------------------------------------------|
| Extended Product Type | PLRG-48S.30                                                                                         |
| Product ID            | 7TCA292000R6263                                                                                     |
| EAN                   | 7630031201515                                                                                       |
| Catalog Description   | CONDUIT PA6 NW48 GRY 30M                                                                            |
| Long Description      | Flexible, Coarse Profile, Medium Wall Conduit - Conduit Size NW/Metric 48/50, Color Gray, 30 Meters |

| Additional Information |                                       |
|------------------------|---------------------------------------|
| Application            | Light Rail Rolling Stock Applications |
| Product Type           | Medium Wall Conduit                   |

| Ordering |               |
|----------|---------------|
| EAN      | 7630031201515 |
| UPC      | 786210173719  |

|                            |      |
|----------------------------|------|
| <b>Dimensions</b>          |      |
| Product Net Depth / Length | 30 m |

|                     |             |
|---------------------|-------------|
| <b>Technical</b>    |             |
| Number of Batteries | 0           |
| Color               | Gray        |
| Material            | Polyamide 6 |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |                        |
|--------------------------------|------------------------|
| <b>Container Information</b>   |                        |
| Package Level 1 Units          | 30 m                   |
| Package Level 1 Height         | 275.082 mm<br>10.83 in |
| Package Level 1 Depth / Length | 830.072 mm<br>32.68 in |
| Package Level 1 Width          | 793.75 mm<br>31.25 in  |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | 9AKK107492A1774 |
| Instructions and Manuals             | PLRG-48S.30     |
| Declaration of Conformity - CE       | 9AKK107680A0674 |

|                        |                                    |
|------------------------|------------------------------------|
| <b>Classifications</b> |                                    |
| ETIM 8                 | EC001175 - Corrugated plastic hose |
| UNSPSC                 | 39131706                           |

|                                                                                                                                               |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Categories</b>                                                                                                                             |  |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

