



PRODUCT-DETAILS

PRCSSS34/BL/50M  
STNL.STL BRD.MODF.PA6 NC34 50MT BLK



| General Information   |                                                                                                                                                                                                                                                                   |
|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | PRCSSS34/BL/50M                                                                                                                                                                                                                                                   |
| Product ID            | 7TCA296100R0124                                                                                                                                                                                                                                                   |
| EAN                   | 5020963016028                                                                                                                                                                                                                                                     |
| Catalog Description   | STNL.STL BRD.MODF.PA6 NC34 50MT BLK                                                                                                                                                                                                                               |
| Long Description      | Standard Weight Conduit, Nominal Conduit Size 34mm, NW Conduit Size 29, Coarse Conduit Pitch, Outside Diameter 34.5mm, Inside Diameter 27.7mm, Static Bend Radius 75mm, Reel Length 50 Meters, Modified Polyamide (Nylon) 6 with Stainless Steel Overbraid, Black |

| Additional Information |                                                                         |
|------------------------|-------------------------------------------------------------------------|
| Application            | Indoors, Public Areas, Rail Infrastructure                              |
| Product Type           | Standard Weight Conduit with Coarse Pitch and Stainless Steel Overbraid |

| Ordering |               |
|----------|---------------|
| EAN      | 5020963016028 |
| UPC      | 786210243641  |

|                            |      |
|----------------------------|------|
| <b>Dimensions</b>          |      |
| Product Net Depth / Length | 50 m |

|                     |                                                           |
|---------------------|-----------------------------------------------------------|
| <b>Technical</b>    |                                                           |
| Number of Batteries | 0                                                         |
| Color               | Black                                                     |
| Material            | Modified Polyamide/Nylon 6 with Stainless Steel Overbraid |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |                    |
|--------------------------------|--------------------|
| <b>Container Information</b>   |                    |
| Package Level 1 Units          | 1 piece            |
| Package Level 1 Height         | 10.62 in<br>270 mm |
| Package Level 1 Depth / Length | 32.28 in<br>820 mm |
| Package Level 1 Width          | 32.28 in<br>820 mm |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | PRCSSS34/BL/50M |
| Instructions and Manuals             | PRCSSS34/BL/50M |
| Declaration of Conformity - CE       | 9AKK107492A9618 |
| RoHS Information                     | 9AKK107992A8994 |
| RoHS Date                            | 9AKK107992A8994 |
| REACH Declaration                    | 9AKK107992A8994 |

|                        |                                    |
|------------------------|------------------------------------|
| <b>Classifications</b> |                                    |
| ETIM 8                 | EC001175 - Corrugated plastic hose |
| UNSPSC                 | 39131706                           |

---

**Categories**

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

