



PRODUCT-DETAILS

PRFSSS21/BL/50M
STNL.STL BRD.MODF.PA6 NC21 50MT BLK



General Information	
Extended Product Type	PRFSSS21/BL/50M
Product ID	7TCA296100R0139
EAN	5020963012464
Catalog Description	STNL.STL BRD.MODF.PA6 NC21 50MT BLK
Long Description	Standard Weight Conduit, Nominal Conduit Size 21mm, NW Conduit Size 17, Fine Conduit Pitch, Outside Diameter 21.2mm, Inside Diameter 16.6mm, Static Bend Radius 60mm, Reel Length 50 Meters, Modified Polyamide (Nylon) 6 with Stainless Steel Overbraid, Black

Additional Information	
Application	Indoors, Public Areas, Rail Infrastructure
Product Type	Standard Weight Conduit with Fine Pitch and Stainless Steel Overbraid

Ordering	
EAN	5020963012464
UPC	786210243825

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Black
Material	Modified Polyamide/Nylon 6 with Stainless Steel Overbraid

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	9.37 in 238 mm
Package Level 1 Depth / Length	19.25 in 489 mm
Package Level 1 Width	19.25 in 489 mm

Certificates and Declarations	
Data Sheet, Technical Information	PRFSSS21/BL/50M
Instructions and Manuals	PRFSSS21/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001175 - Corrugated plastic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

