

PRODUCT-DETAILS

PS2/6/16BP Busbar 2 phase



General Information	
Extended Product Type	PS2/6/16BP
Product ID	2CDL220489R1606
EAN	4016779644990
Catalog Description	PS2/6/16BP Busbar 2 phase
Long Description	Busbar PS2/6/16BP

Technical	
Standards	UL 489
Sub-Function Sub-Function	Branch Protection (UL 489)
Suitable For	\$200U \$200UP
Suitable for Product Class	UL 489 Devices
Rated Operational Voltage	690 V AC/DC Maximum 480 V
Rated Short-time Withstand Current Low Voltage (I _{cw})	10 kA
Rated Uninterrupted Current (I _{II})	80 A

PS2/6/16BP 2/3

Rated Frequency (f)	50 / 60 Hz
Pitch	44729.0
Number of Poles	44725.0
Number of Phases	2
Number of Mountable	3
Devices	3
	6
Overvoltage Category	III
Accessory Type	Busbar
Connection Type	Pin
Housing Material	Light grey, RAL 7035
Options Provided	BP
Mounting Position	any
RAL Number	RAL 7035 - Light Grey
Color	grey
Rated Cross-Section	16 mm²
Motorial Compliance	
Material Compliance	
RoHS Information	9AKK108468A1264
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20230517
REACH Declaration	9AKK108468A9644
REACH Information	False - does not contains substances > 0.1 mass percentage
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental Pollution Degree Environmental Information	2 DIN EN 60068
Dimensions	
Width in Number of	6
Modular Spacings	
Product Net Width	15.5 mm
Product Net Height	46 mm
Product Net Depth / Length	99 mm
Product Net Weight	0.062 kg
Ordering	
Package Level 1 Units	1 piece
Package Level 1 Gross	6.44 kg
Weight	
Certificates and Declarations	
Certificates and Declarations Declaration of Conformity - CE	9AKK108469A0835

PS2/6/16BP 3/3

Installation	
Instructions and Manuals	2CSC400002D0208
Popular Downloads	
Data Sheet, Technical Information	9AKK106930A8017
mermeter	
Classifications	
ETIM 8	EC000215 - Phase busbar
ETIM 9	EC000215 - Phase busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	8536 90 10
UNSPSC	39121117

Categories

eClass

IDEA Granular Category Code (IGCC)

Object Classification Code

 $Low\ Voltage\ Products\ and\ Systems\ \rightarrow\ Modular\ DIN\ Rail\ Products\ \rightarrow\ Miniature\ Circuit\ Breakers\ MCBs\ \rightarrow\ Miniature\ Circuit\ Breakers\ MCBs\ Accessories\ \rightarrow\ Busbars\ and\ Accessories\ (UL\ Range)$









V11.0: 27371306

4378 >> Phase busbar

3605