



PRODUCT-DETAILS

Q843E614

Q843E614 Cabinet, 1490 mm x 600 mm x 250 mm



| General Information | |
|-----------------------|---|
| Extended Product Type | Q843E614 |
| Product ID | 1SZE430801B0130 |
| EAN | 5411815219450 |
| Catalog Description | Q843E614 Cabinet, 1490 mm x 600 mm x 250 mm |
| Long Description | Floor standing cabinet Extention, Type System pro E energy L, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP43 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperately, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 1400 x 600 x 250, No.Mod.DIN 216 (H=150 mm), prepared for extention side-by-side, prepared for interior fitting System pro E energy Combi (up to 800A) |

| Technical | |
|------------|-----------------------|
| Material | Steel |
| RAL Number | RAL 7035 - Light Grey |
| Color | Grey |

| | |
|---------------------|---|
| Number of Batteries | 0 |
|---------------------|---|

Material Compliance

| | |
|---|--|
| RoHS Information | 9AKK108468A9942 |
| RoHS Status | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date | 20231210 |
| REACH Declaration | 1STE000078 |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363 |

Dimensions

| | |
|----------------------------|----------|
| Product Net Width | 600 mm |
| Product Net Height | 1490 mm |
| Product Net Depth / Length | 250 mm |
| Product Net Weight | 22.74 kg |

Ordering

| | |
|------------------------------|-------------|
| Package Level 1 Units | box 1 piece |
| Package Level 1 Gross Weight | 24.95 kg |

Certificates and Declarations

| | |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK108468A9942 |
|--------------------------------|-----------------|

Installation

| | |
|--------------------------|--------------------|
| Instructions and Manuals | No document needed |
|--------------------------|--------------------|

Popular Downloads

| | |
|-----------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
|-----------------------------------|--------------------|

Classifications

| | |
|----------------------------|---|
| ETIM 8 | EC002524 - Side-/back panel (enclosure/cabinet) |
| ETIM 9 | EC002524 - Side-/back panel (enclosure/cabinet) |
| WEEE Category | Product Not in WEEE Scope |
| WEEE B2C / B2B | Business To Consumer |
| CN8 | 85381000 |
| eClass | V11.0 : 27182101 |
| Object Classification Code | U |

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → System pro E energy L

