



PRODUCT-DETAILS

Q843E616

Q843E616 Side wall, 1649 mm x 600 mm x 250 mm



| General Information   |  |
|-----------------------|--|
| Extended Product Type | Q843E616   |
| Product ID            | 1SZE430801B0140  |
| EAN                   | 5411815219467  |
| Catalog Description   | Q843E616 Side wall, 1649 mm x 600 mm x 250 mm  |
| Long Description      | Floor standing cabinet Extension, Type System pro E energy L, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP43 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperately, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added separetely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 1600 x 400 (384) x 250, No.Mod.DIN 240 (H=150 mm), prepared for extention side-by-side, prepared for interior fitting System pro E energy Combi (up to 800A) |
| Technical             |  |
| Material              | Steel  |
| RAL Number            | RAL 7035 - Light Grey  |
| Color                 | Grey   |
| Number of Batteries   | 0  |

|   |  |  |
|---|--|--|
| Material Compliance                         |  |  |
| RoHS Information                            | 9AKK108468A9942  |  |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |  |
| RoHS Date                                   | 20231210   |  |
| REACH Declaration                           | 1STE000078   |  |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363  |  |

|                            |           |  |
|----------------------------|-----------|--|
| Dimensions                 |           |  |
| Product Net Width          | 600 mm    |  |
| Product Net Height         | 1649 mm   |  |
| Product Net Depth / Length | 250 mm    |  |
| Product Net Weight         | 25.595 kg |  |

|                              |             |  |
|------------------------------|-------------|--|
| Ordering                     |             |  |
| Package Level 1 Units        | box 1 piece |  |
| Package Level 1 Gross Weight | 27.821 kg   |  |

|                                |                 |  |
|--------------------------------|-----------------|--|
| Certificates and Declarations  |                 |  |
| Declaration of Conformity - CE | 9AKK108468A9942 |  |

|                          |                    |  |
|--------------------------|--------------------|--|
| Installation             |                    |  |
| Instructions and Manuals | No document needed |  |

|                                   |                    |  |
|-----------------------------------|--------------------|--|
| Popular Downloads                 |                    |  |
| Data Sheet, Technical Information | No document needed |  |

|                            |   |  |
|----------------------------|---|--|
| Classifications            |   |  |
| ETIM 8                     | EC002524 - Side-/back panel (enclosure/cabinet) |  |
| ETIM 9                     | EC002524 - Side-/back panel (enclosure/cabinet) |  |
| WEEE Category              | Product Not in WEEE Scope                       |  |
| WEEE B2C / B2B             | Business To Consumer                            |  |
| CN8                        | 85381000  |  |
| eClass                     | V11.0 : 27182101                                |  |
| Object Classification Code | U   |  |

---

Categories

---

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → System pro E energy L

