Q855B608 1/3



PRODUCT-DETAILS

## Q855B608

## Q855B608 Cabinet, Rows: 5, 849 mm x 612 mm x 250 mm, Grounded (Class I), IP55



General Information	
Extended Product Type	Q855B608
Product ID	1SZE550800B0100
EAN	3800161600807
Catalog Description	Q855B608 Cabinet, Rows: 5, 849 mm x 612 mm x 250 mm, Grounded (Class I), IP55
Long Description	Wallcabinet, Type System pro E energy M, Basic structure, Mountingtype: Wallhanging, for indoor installation, Flatpack, Protection form I (Earthed), Protectklass IP55 (with door) IP30, without door, Acc.Norm: IEC 61439-1, IEC 61439-2, IEC 61439-3; IEC62208, IK08 for housing, IK07 for glass-door and knock-out, powdercoated RAL 7035, Sheet steel material, Door needs to be added seperataly, Door can be mounted Left or Right, Door opening 135°, Backplate sheet steel, Top and Bottom need to be added sepretely, Cable entry by flange of big Cable entry, dimensions in mm (H x W x D) 800 x 600 x 250, No.Mod.DIN 120 (H=150 mm), prepared for extention side-by-side, prepared for interrior fitting System pro E energy Combi (up to 800A)

Technical	
Rated Current (I <sub>n</sub> )	800 A
Power Loss	$\Delta t = 25 \text{K} 51 \text{ W}$ $\Delta t = 30 \text{K} 72 \text{ W}$ $\Delta t = 35 \text{K} 95 \text{ W}$ $\Delta t = 40 \text{K} 120 \text{ W}$
Number of Flange	4

Q855B608 2/3

Openings	
Number of Rows	5
Cover Plate Type	Optional
Mounting Type	Surface mounting
Door Type	Single
Surface Finishing	Powder coating
Housing Material	Steel
RAL Number	RAL 7035 - Light Grey
Color	Grey
Number of Batteries	0
Material Compliance	
	0.11/// 0.0.100.100.10
RoHS Information	9AKK108468A9942
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20231210
REACH Declaration  Conflict Minerals	1STE000078 9AKK108468A3363
Reporting Template (CMRT)	3AUV 100400A3303
Environmental	
Degree of Protection	
Protection Class	Grounded (Class I)
Dimensions	
Width in Number of Modular Spacings	24
Product Net Width	612 mm
Product Net Height	849 mm
Product Net Depth / Length	250 mm
Product Net Weight	17.688 kg
Built-In Depth (t <sub>2</sub> )	230 mm
Thickness	Cabinet Plate 1.5 mm Door Plate 1.5 mm
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	20.1 kg
Certificates and Declarations	
Declaration of Conformity  - CE	9AKK108468A9942
Installation	
Instructions and Manuals	No document needed
mest abriotio dire mettudio	ivo document needed

Q855B608 3/3

Popular Downloads	
Data Sheet, Technical Information	No document needed
Building Information Modeling - BIM	9AKK107680A9001

Classifications	
ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142408
Object Classification Code	U

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Sub\ Distribution\ Boards \rightarrow Sub\ Distribution\ Boards \rightarrow System\ pro\ E\ energy\ M$ 





