
Q855B616 1/3



PRODUCT-DETAILS

## Q855B616

## Q855B616 Cabinet, Rows: 10, 1649 mm x 612 mm x 250 mm, Grounded (Class I), IP55



Technical	
Rated Current (I <sub>n</sub> )	800 A
Power Loss	$\Delta t = 25K 71 W$ $\Delta t = 30K 102 W$
	Δt = 35K 135 W
	$\Delta t = 40 \text{K} \ 169 \text{ W}$
Number of Florida	4

Q855B616 2/3

Openings	
Number of Rows	10
Cover Plate Type	Optional
Mounting Type	Surface mounting
Door Type	Single
Surface Finishing	Powder coating
Housing Material	Steel
RAL Number	RAL 7035 - Light Grey
Color	Grey
Number of Batteries	0
Material Compliance	
RoHS Information	9AKK108468A9942
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20231210
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Degree of Protection	IP55
Protection Class	Grounded (Class I)
Dimensions	
Width in Number of Modular Spacings	24
Product Net Width	612 mm
Product Net Height	1649 mm
Product Net Depth / Length	250 mm
Product Net Weight	29.16 kg
Built-In Depth (t <sub>2</sub> )	230 mm
Thickness	Cabinet Plate 1.5 mm Door Plate 1.5 mm
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	32.4 kg
Certificates and Declarations	
Declaration of Conformity  - CE	9AKK108468A9942
Installation	
Instructions and Manuals	No document needed

Q855B616 3/3

Popular Downloads	
Data Sheet, Technical Information	No document needed
Building Information Modeling - BIM	9AKK107680A9001

Classifications	
ETIM 8	EC000058 - Empty cabinet
ETIM 9	EC000058 - Empty cabinet
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27142408
Object Classification Code	U

## Categories

 $Low\ Voltage\ Products\ and\ Systems \rightarrow Enclosures \rightarrow Sub\ Distribution\ Boards \rightarrow Sub\ Distribution\ Boards \rightarrow System\ pro\ E\ energy\ M$ 





