



PRODUCT-DETAILS

Q855G416

Q855G416 Door, 1642 mm x 377 mm x 250 mm, IP55



General Information	
Extended Product Type	Q855G416
Product ID	1SZE990920B0060
EAN	5411815220364
Catalog Description	Q855G416 Door, 1642 mm x 377 mm x 250 mm, IP55
Long Description	Door transparent for System pro E energy, up to IP55, with 3 point locking system, IK07, safety glass, W400 H1600

Technical	
Model Number	Panel door
Surface Finishing	Powder coating
Material	Steel
Color	Grey
Number of Batteries	0

Material Compliance	
---------------------	--

RoHS Information	9AKK108468A9942
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
RoHS Date	20231210
REACH Declaration	1STE000078
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Degree of Protection	IP55
----------------------	------

Dimensions

Product Net Width	377 mm
Product Net Height	1642 mm
Product Net Depth / Length	250 mm
Product Net Weight	9.993 kg

Ordering

Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	10.745 kg

Certificates and Declarations

Declaration of Conformity - CE	9AKK108468A9942
--------------------------------	-----------------

Installation

Instructions and Manuals	No document needed
--------------------------	--------------------

Popular Downloads

Data Sheet, Technical Information	No document needed
Building Information Modeling – BIM	9AKK107680A9001 9AKK107680A9002

Classifications

ETIM 8	EC000747 - Door/operating panel (enclosure/cabinet)
ETIM 9	EC000747 - Door/operating panel (enclosure/cabinet)
WEEE Category	Product Not in WEEE Scope
WEEE B2C / B2B	Business To Consumer
CN8	85381000
eClass	V11.0 : 27182204

Object Classification

Code

U

Categories

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Sub Distribution Boards → System pro E Energy Combi - Kits and Accessories

