



PRODUCT-DETAILS

QB2H620RC

QB2H620RC Module for Tmax XT, 200 mm x 512 mm x 230 mm



| General Information   |                                                        |
|-----------------------|--------------------------------------------------------|
| Extended Product Type | QB2H620RC                                              |
| Product ID            | 1SZE980040B0700                                        |
| EAN                   | 5411815230806                                          |
| Catalog Description   | QB2H620RC Module for Tmax XT, 200 mm x 512 mm x 230 mm |
| Long Description      | Modules for SACE-Breakers, System pro E energy Combi   |

| Technical                                   |       |
|---------------------------------------------|-------|
| Rated Operational Current (I <sub>e</sub> ) | 160 A |
| Number of Poles                             | 4     |
| Number of Switches                          | 1     |
| Color                                       | Grey  |
| Number of Batteries                         | 0     |

| Material Compliance |  |
|---------------------|--|
|---------------------|--|

|                                             |                                                                        |
|---------------------------------------------|------------------------------------------------------------------------|
| RoHS Information                            | 9AKK108468A9942                                                        |
| RoHS Status                                 | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |
| RoHS Date                                   | 20231210                                                               |
| REACH Declaration                           | 1STE000078                                                             |
| Conflict Minerals Reporting Template (CMRT) | 9AKK108468A3363                                                        |

Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 512 mm   |
| Product Net Height         | 200 mm   |
| Product Net Depth / Length | 230 mm   |
| Product Net Weight         | 2.647 kg |

Ordering

|                              |             |
|------------------------------|-------------|
| Package Level 1 Units        | box 1 piece |
| Package Level 1 Gross Weight | 2.909 kg    |

Certificates and Declarations

|                                |                 |
|--------------------------------|-----------------|
| Declaration of Conformity - CE | 9AKK108468A9942 |
|--------------------------------|-----------------|

Installation

|                          |                    |
|--------------------------|--------------------|
| Instructions and Manuals | No document needed |
|--------------------------|--------------------|

Popular Downloads

|                                   |                    |
|-----------------------------------|--------------------|
| Data Sheet, Technical Information | No document needed |
|-----------------------------------|--------------------|

Classifications

|                            |                                        |
|----------------------------|----------------------------------------|
| ETIM 8                     | EC001897 - Distributor assembly switch |
| ETIM 9                     | EC001897 - Distributor assembly switch |
| WEEE Category              | Product Not in WEEE Scope              |
| WEEE B2C / B2B             | Business To Consumer                   |
| CN8                        | 85381000                               |
| eClass                     | V11.0 : 27400611                       |
| Object Classification Code | U                                      |

---

**Categories**

---

Low Voltage Products and Systems → Enclosures → Sub Distribution Boards → Interior Fittings → System pro E energy Combi

