S12/PG9/A 1/3



PRODUCT-DETAILS

## S12/PG9/A NPB FIXED PG29/ NC32 S + SS



Extended Product Type	S12/PG9//
Product ID	7TCA296010R002
EAN	502096300342
Catalog Description	NPB FIXED PG29/ NC32 S + S
Long Description	Adaptasteel, Straight Fitting, Fixed External Male Thread, Nominal Conduit Size 12mm PG9 Thread, IP40, Nickel Plated Bras
Additional Information	
	For Insertion into Threaded Entries or Knockout to Connect Condu
Additional Information  Application  Product Type	For Insertion into Threaded Entries or Knockout to Connect Condu Conduit Fitting with PG Thread
Application Product Type	
Application	

\$12/PG9/A 2/3

Number of Batteries	
Color	Metalli
Material	Bras
Size	NC 12mr
Environmental	
WEEE Category	Product Not in WEEE Scop
Container Information	
Package Level 1 Units	10 piec
Package Level 1 Height	7.87 i 200 mr
Package Level 1 Depth / Length	1 i 25 mr
Package Level 1 Width	5.9 i 150 mr
Certificates and Declarations	
Data Sheet, Technical Information	\$12/PG9/.
Instructions and Manuals	S12/PG9/.
Declaration of Conformity - CE	9AKK107492A961
RoHS Information	9AKK107992A899
RoHS Date	9AKK107992A899
REACH Declaration	9AKK107992A899

## Categories

ETIM 8

**UNSPSC** 

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

EC001180 - Screw connection for protective metallic hose

39121311

\$12/PG9/A 3/3

