



PRODUCT-DETAILS

S16/16/C
SMOOTH ENTRY BUSH FOR S16 + SS16



| General Information | |
|-----------------------|---|
| Extended Product Type | S16/16/C |
| Product ID | 7TCA296010R0035 |
| EAN | 5020963003516 |
| Catalog Description | SMOOTH ENTRY BUSH FOR S16 + SS16 |
| Long Description | 3/8 Inch Nickel Plated Brass Smooth Entry Bushing, Hole Size-16mm |

| Additional Information | |
|------------------------|--|
| Application | For Locking Conduit Into Plain Holes in Enclosures |
| Product Type | Smooth Entry Bushing |

| Ordering | |
|----------|---------------|
| EAN | 5020963003516 |
| UPC | 786210261409 |

Technical

| | |
|---------------------|----------|
| Number of Batteries | 0 |
| Color | Metallic |
| Material | Brass |
| Size | 16mm |

Environmental

| | |
|---------------|---------------------------|
| WEEE Category | Product Not in WEEE Scope |
|---------------|---------------------------|

Container Information

| | |
|--------------------------------|-------------------|
| Package Level 1 Units | 10 piece |
| Package Level 1 Height | 7.87 in 200 mm |
| Package Level 1 Depth / Length | 1 in 25 mm |
| Package Level 1 Width | 5.9 in 150 mm |

Certificates and Declarations

| | |
|-----------------------------------|-----------------|
| Data Sheet, Technical Information | S16/16/C |
| Instructions and Manuals | S16/16/C |
| Declaration of Conformity - CE | 9AKK107492A9618 |
| RoHS Information | 9AKK107992A8994 |
| RoHS Date | 9AKK107992A8994 |
| REACH Declaration | 9AKK107992A8994 |

Classifications

| | |
|--------|--|
| ETIM 8 | EC001180 - Screw connection for protective metallic hose |
| UNSPSC | 39121312 |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

