



PRODUCT-DETAILS

S20/20/C

UNTHREADED FITTING FOR S20



General Information	
Extended Product Type	S20/20/C
Product ID	7TCA296010R0062
EAN	5020963001239
Catalog Description	UNTHREADED FITTING FOR S20
Long Description	1/2 Inch Nickel Plated Brass Smooth Entry Bushing, Hole Size-20mm

Additional Information	
Application	For Locking Conduit Into Plain Holes in Enclosures
Product Type	Smooth Entry Bushing

Ordering	
EAN	5020963001239
UPC	786210261515

Technical		
Number of Batteries		0
Color		Metallic
Material		Brass
Size		20mm

Environmental		
WEEE Category		Product Not in WEEE Scope

Container Information		
Package Level 1 Units		10 piece
Package Level 1 Height		7.87 in 200 mm
Package Level 1 Depth / Length		1 in 25 mm
Package Level 1 Width		5.9 in 150 mm

Certificates and Declarations		
Data Sheet, Technical Information		S20/20/C
Instructions and Manuals		S20/20/C
Declaration of Conformity - CE		9AKK107492A9618
RoHS Information		9AKK107992A8994
RoHS Date		9AKK107992A8994
REACH Declaration		9AKK107992A8994

Classifications		
ETIM 8		EC001180 - Screw connection for protective metallic hose
UNSPSC		39121312

Categories		
Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems		

