



---

**PRODUCT-DETAILS****S40/40/C****SMOOTH ENTRY BUSH FOR S40 + SS40**

---

**General Information**

Extended Product Type	S40/40/C
Product ID	7TCA296010R0142
EAN	5020963003660
Catalog Description	SMOOTH ENTRY BUSH FOR S40 + SS40
Long Description	Nickel Plated Brass Smooth Entry Bushing, Hole Size-40mm

---

**Additional Information**

Application	For Locking Conduit Into Plain Holes in Enclosures
Product Type	Smooth Entry Bushing

---

**Ordering**

EAN	5020963003660
UPC	786210261669

**Technical**

Number of Batteries	0
Color	Metallic
Material	Brass
Size	40mm

**Environmental**

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

**Container Information**

Package Level 1 Units	2 piece
Package Level 1 Height	7.87 in 200 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	5.9 in 150 mm

**Certificates and Declarations**

Data Sheet, Technical Information	S40/40/C
Instructions and Manuals	S40/40/C
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

**Classifications**

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121312

**Categories**

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

