



PRODUCT-DETAILS

S802-LINK125

S802-LINK125 Pole Connector



General Information	
Extended Product Type	S802-LINK125
Product ID	2CCS800900R0562
EAN	7612271419103
Catalog Description	S802-LINK125 Pole Connector
Long Description	The pole connector S802-LINK125 can be used up to 125 A. It was developed for photovoltaics and can be used up to 1200V DC.

Technical	
Standards	IEC 60439-2
Suitable For	S800PV
Rated Insulation Voltage (U _i)	1200 V DC
Rated Current (I _n)	125 A
Rated Operational Current (I _e)	125 A
Rated Frequency (f)	50...60 Hz
Model Number	Other

Tightening Torque	3.5 N·m
Recommended Screw Driver	Pozidriv 2
Terminal Type	Screw Terminals

Material Compliance

RoHS Information	9AKK107680A3903 2CCC413029M0401
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20170426
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363

Environmental

Ambient Air Temperature	Operation -25 ... +60 °C Storage -40 ... +70 °C
Degree of Protection	acc. to IEC 60529 IP20
Environmental Information	2CCY413207D0203

Dimensions

Product Net Width	23.5 mm
Product Net Height	49.5 mm
Product Net Depth / Length	69.7 mm
Product Net Weight	149 g

Ordering

Package Level 1 Units	bag 2 piece
Package Level 1 Gross Weight	320 g

Certificates and Declarations

Declaration of Conformity - CE	No declaration needed
--------------------------------	-----------------------

Installation

Instructions and Manuals	9AKK106930A3418
--------------------------	-----------------

Popular Downloads

Data Sheet, Technical Information	2CCC413003C0208
-----------------------------------	-----------------

Classifications

ETIM 8	EC001522 - Busbar
ETIM 9	EC001522 - Busbar
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
WEEE B2C / B2B	Business To Business
CN8	85389030
UNSPSC	39121117
eClass	V11.0 : 27370303
IDEA Granular Category Code (IGCC)	4375 >> Buss bar
Object Classification Code	F

Categories

Low Voltage Products and Systems → Modular DIN Rail Products → High Performance Circuit Breakers HPCBs → High Performance Circuit Breakers HPCBs Accessories

