




---

 PRODUCT-DETAILS

# SB25/M25/B

## SWVL MALE BR IP40 ADPTR NC25 M25




---

**General Information**

Extended Product Type	SB25/M25/B
Product ID	7TCA296040R0056
EAN	5020963004360
Catalog Description	SWVL MALE BR IP40 ADPTR NC25 M25
Long Description	Nickel Plated Brass Straight Fitting with Swivel External Thread, Nominal Conduit Size 25 Millimeters, IP40 Rating, Metric Thread Size M25

---

**Additional Information**

Application	For Insertion into Threaded Entries or Knockout to Connect Conduit
Product Type	Conduit Fitting with Metric Threads

---

**Ordering**

EAN	5020963004360
UPC	786210244297

---

## Technical

---

Number of Batteries	0
Color	Metallic
Material	Brass
Size	3/4 Inch

---



---

## Environmental

---

WEEE Category	Product Not in WEEE Scope
---------------	---------------------------

---



---

## Container Information

---

Package Level 1 Units	10 piece
Package Level 1 Height	9.84 in 250 mm
Package Level 1 Depth / Length	1 in 25 mm
Package Level 1 Width	7.87 in 200 mm

---



---

## Certificates and Declarations

---

Data Sheet, Technical Information	SB25/M25/B
Instructions and Manuals	SB25/M25/B
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

---



---

## Classifications

---

ETIM 8	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121311

---



---

## Categories

---

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

