SFIL-P213 1/3



PRODUCT-DETAILS

SFIL-P213 FTNG FEM PG21 NW23 PA6 IP67 GRY



Product ID EAN Catalog Description FTNG FEM PG21 NW23 PA6 IP Long Description PMAFIX Gray Female Threaded Adapter, Material - Polyamide 6, Thread Type - PG Size - 21, Nominal Width/Condiut Size - 3 Additional Information Application Product Type Connectors- Ordering	General Information Extended Product Type	SFIL-P213
EAN 7630030 Catalog Description FTNG FEM PG21 NW23 PA6 IP Long Description PMAFIX Gray Female Threaded Adapter, Material - Polyamide 6, Thread Type - PG. Size - 21, Nominal Width/Condiut Size - 3 Additional Information Application For Machine, Vehicle and Traction Product Type Connectors- Ordering		7TAA292610R0156
Catalog Description FTNG FEM PG21 NW23 PA6 IP Long Description PMAFIX Gray Female Threaded Adapter, Material - Polyamide 6, Thread Type - PG Size - 21, Nominal Width/Condiut Size - : Additional Information Application For Machine, Vehicle and Traction Product Type Connectors- Ordering		7630030281105
Long Description PMAFIX Gray Female Threaded Adapter, Material - Polyamide 6, Thread Type - PG Size - 21, Nominal Width/Condiut Size - Additional Information Application For Machine, Vehicle and Traction Product Type Connectors- Ordering		FTNG FEM PG21 NW23 PA6 IP67 GRY
Additional Information Application For Machine, Vehicle and Traction Product Type Connectors Ordering		PMAFIX Gray Female Threaded Adapter, Material - Polyamide 6, Thread Type - PG, Thread Size - 21, Nominal Width/Condiut Size - 23, IP67
Product Type Connectors- Ordering	Additional Information	
Product Type Connectors- Ordering	Application	For Machine, Vehicle and Traction Building
	• •	Connectors-Straight
	Ordering	
EAN /630030		
UPC 786209		7630030281105 786209969538

SFIL-P213 2/3

Technical	
Number of Batteries	0
Color	Gray
Material	High-Grade Specially Formulated Polyamide/Nylon 6
Size	NW23 ; PG21 Threac
Environmental	
WEEE Category	Product Not in WEEE Scope
Container Information	
Package Level 1 Units	30 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in
Cortificates and Declarations	
Certificates and Declarations Data Sheet, Technical Information	SFIL-P213
Instructions and Manuals	SFIL-P213
Declaration of Conformity - CE	9AKK107680A0674
Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories

 $Low\ Voltage\ Products\ and\ Systems\ \to\ Installation\ Products\ \to\ Cable\ Protection,\ Explosion\ Proof\ and\ Lighting\ \to\ Flexible\ Cable\ Protection\ Systems$

SFIL-P213 3/3

