

PRODUCT-DETAILS

SLND-P092 CONDUIT FTNG STR PG09 NW12 IP66 GRY



SLND-P092 7TAA292000R0138 7630030278785 CONDUIT FTNG STR PG09 NW12 IP66 GRY or Straight, PG Thread - Thread 9, Fits to Conduit Size NW/Metric 12/16, Color Gray
7630030278785 CONDUIT FTNG STR PG09 NW12 IP66 GRY or Straight, PG Thread - Thread 9, Fits to Conduit Size NW/Metric 12/16, Color
CONDUIT FTNG STR PG09 NW12 IP66 GRY or Straight, PG Thread - Thread 9, Fits to Conduit Size NW/Metric 12/16, Color
or Straight, PG Thread - Thread 9, Fits to Conduit Size NW/Metric 12/16, Color
Connectors-Straight

786209971074

UPC

Technical	
Number of Batteries	0
Color	Gray
Material	Polyamide 6
Size	NW12, PG09 Thread

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	100 EA
Package Level 1 Height	0 mm 0 in
Package Level 1 Depth / Length	0 mm 0 in
Package Level 1 Width	0 mm 0 in

Certificates and Declarations	
Data Sheet, Technical Information	SLND-P092
Instructions and Manuals	SLND-P092
Declaration of Conformity - CE	9AKK107680A0674

Classifications	
ETIM 8	EC001176 - Screw connection for corrugated plastic hose
UNSPSC	39121420

Categories

Low Voltage Products and Systems \rightarrow Installation Products \rightarrow Cable Protection, Explosion Proof and Lighting \rightarrow Flexible Cable Protection Systems

