



PRODUCT-DETAILS

SLWD-M409  
CONDUIT FTNG 90D M40 NW29 IP66 GRY



| General Information   |                                                                                                                                    |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | SLWD-M409                                                                                                                          |
| Product ID            | 7TAA292000R0158                                                                                                                    |
| EAN                   | 7630030278587                                                                                                                      |
| Catalog Description   | CONDUIT FTNG 90D M40 NW29 IP66 GRY                                                                                                 |
| Long Description      | Smart Line 90 Degree Grey One-Piece Elbow with Integral Cone Seal, Material- Polyamide 6, Conduit Size NW29, Thread Size - M40x1.5 |

| Additional Information |                                                            |
|------------------------|------------------------------------------------------------|
| Application            | Machine Building, Installation and Construction Industries |
| Product Type           | Elbows-90 Degree                                           |

| Ordering |               |
|----------|---------------|
| EAN      | 7630030278587 |
| UPC      | 786209971272  |

|                     |                   |
|---------------------|-------------------|
| <b>Technical</b>    |                   |
| Number of Batteries | 0                 |
| Material            | Polyamide/Nylon 6 |

|                      |                           |
|----------------------|---------------------------|
| <b>Environmental</b> |                           |
| WEEE Category        | Product Not in WEEE Scope |

|                                |              |
|--------------------------------|--------------|
| <b>Container Information</b>   |              |
| Package Level 1 Units          | 30 EA        |
| Package Level 1 Height         | 0 mm<br>0 in |
| Package Level 1 Depth / Length | 0 mm<br>0 in |
| Package Level 1 Width          | 0 mm<br>0 in |

|                                      |                 |
|--------------------------------------|-----------------|
| <b>Certificates and Declarations</b> |                 |
| Data Sheet, Technical Information    | SLWD-M409       |
| Instructions and Manuals             | SLWD-M409       |
| Declaration of Conformity - CE       | 9AKK107680A0674 |

|                        |                                                         |
|------------------------|---------------------------------------------------------|
| <b>Classifications</b> |                                                         |
| ETIM 8                 | EC001176 - Screw connection for corrugated plastic hose |
| UNSPSC                 | 39131707                                                |

|                                                                                                                                               |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|--|
| <b>Categories</b>                                                                                                                             |  |
| Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems |  |

