



PRODUCT-DETAILS

SN12/BL/50M

NYLON COVRD LIQ.PROOF NC12 50MT BLK



General Information	
Extended Product Type	SN12/BL/50M
Product ID	7TCA296130R0033
EAN	5020963012228
Catalog Description	NYLON COVRD LIQ.PROOF NC12 50MT BLK
Long Description	Liquid Resistant Abrasion and Solvent Resistant Covered, Medium Flexibility Conduit, 5/16 Inch Nominal Conduit Size 12mm, Outside Diameter 14.0mm, Inside Diameter 10.3mm, Static Bend Radius 30mm, Reel Length 50 Meters, PA (Nylon) Jacket with Galvanised Steel Core, Black

Additional Information	
Application	Indoors / Outdoors - Liquid, Abrasion and Solvent Resistant
Product Type	Medium Flexibility Conduit

Ordering	
EAN	5020963012228
UPC	786210274591

Dimensions	
Product Net Depth / Length	50 m

Technical	
Number of Batteries	0
Color	Black
Material	Galvanized Steel Core with Polyamide/Nylon 6 Jacket

Environmental	
WEEE Category	Product Not in WEEE Scope

Container Information	
Package Level 1 Units	1 piece
Package Level 1 Height	7 in 178 mm
Package Level 1 Depth / Length	13 in 330 mm
Package Level 1 Width	13 in 330 mm

Certificates and Declarations	
Data Sheet, Technical Information	SN12/BL/50M
Instructions and Manuals	SN12/BL/50M
Declaration of Conformity - CE	9AKK107492A9618
RoHS Information	9AKK107992A8994
RoHS Date	9AKK107992A8994
REACH Declaration	9AKK107992A8994

Classifications	
ETIM 8	EC001179 - Protective metallic hose
UNSPSC	39131706

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

