SN201-S 1/3



PRODUCT-DETAILS

## **SN201-S**

## **SN201-S Signal Contact**



General Information		
Extended Product Type	SN201-S	
Product ID	2CSS200924R0001	
EAN	8012542104957	
Catalog Description	SN201-S Signal Contact	
Long Description	The SN201-S signal contact allows the indication of the device contact positions only after the automatic release of the MCB due to overcurrent.	

Technical		
Suitable For	DS203NC	
Suitable for Product Class	RCBOs	
Rated Voltage (U <sub>r</sub> )	230 V	
Number of Contacts CO	1	
Number of Contacts NC	0	
Number of Contacts NO	0	
Number of Auxiliary Contacts NC	0	

SN201-S 2/3

Number of Auxiliary Contacts NO	0
Number of Auxiliary	1
Contacts CO (SPDT)	
Number of Switches	0
Mounting Position	Right
Material Compliance	
RoHS Information	9AKK106713A5572
RoHS Status	Following EU Directive 2011/65/EU
RoHS Date	20090519
Conflict Minerals Reporting Template (CMRT)	9AKK108468A3363
Environmental	
Environmental Information	refer to RoHS information
Dimensions	
Product Net Width	9 mm
Product Net Height	0.085 m
Product Net Depth /	0.068 m
Length	
Product Net Weight	0.100 kg
Ordering	
Package Level 1 Units	box 1 piece
Package Level 1 Gross Weight	0.14 kg
E-Number (Finland)	3210646
E-Number (Sweden)	2100364
Certificates and Declarations	
Declaration of Conformity - CE	9AKK106713A5572
Installation	
Instructions and Manuals	9AKK107492A3127
Popular Downloads	
Data Sheet, Technical Information	2CSC400002D0209

SN201-S 3/3

Classifications		
ETIM 8	EC001286 - Auxiliary device for distribution board devices	
ETIM 9	EC001286 - Auxiliary device for distribution board devices	
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)	
WEEE B2C / B2B	Business To Consumer	
CN8	85389099	
eClass	V11.0 : 27143502	
Object Classification Code	Q	

## Categories

 $Low\ Voltage\ Products\ \rightarrow\ Miniature\ Circuit\ Breakers\ MCBs\ \rightarrow\ Miniature\ MCBs\ \rightarrow\ Miniature\ MCBs\ \rightarrow\ MCBs\ \rightarrow\ Miniature\ MCBs\ \rightarrow\ Miniature\ MCBs\ \rightarrow\ Miniature\ MCBs\$ 









3605